

EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	191757	capacit\$5.clm.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2006/03/28 11:35
L2	42672	1 and (electrode).clm.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2006/03/28 11:19
L3	2698	2 and (matrix array plural\$4 couple multipl\$4 pair) near3 (sens\$4 detect\$4 transducer measur\$4).clm.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2006/03/28 11:23
L4	393	3 and (cover casing housing).clm.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2006/03/28 11:28
L5	149	4 and (force load strain stress pressure).clm.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2006/03/28 11:21
L6	4	5 and (multidimensional)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2006/03/28 11:25
L7	353	1 and (multidimensional)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2006/03/28 11:23
L8	60	7 and (matrix array plural\$4 couple multipl\$4 pair) near3 (sens\$4 detect\$4 transducer measur\$4).clm.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2006/03/28 11:34
L9	36	8 and (two three) near3 (dimensional)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2006/03/28 11:28

EAST Search History

L10	2	"6989677"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2006/03/28 11:27
L11	14	"6530283"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2006/03/28 11:27
L12	12	11 and (two three multi) near3 (dimensional)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2006/03/28 11:34
L13	12	12 and (elastic\$4 flexible flexure resilient)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2006/03/28 11:28
L14	4	13 and (matrix array plural\$4 couple multipl\$4 pair) near3 (sens\$4 detect\$4 transducer measur\$4).clm.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2006/03/28 11:28
L15	8	13 and (matrix array plural\$4 couple multipl\$4 pair) near3 (sens\$4 detect\$4 transducer measur\$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2006/03/28 11:28
L16	4	14 and (cover casing housing)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2006/03/28 11:29
L17	7	15 and (cover casing housing)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2006/03/28 11:33
L18	0	"324"/\$9,"73"/\$9.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2006/03/28 11:33
L19	0	"73,324"/\$9.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2006/03/28 11:33

EAST Search History

L20	142970	"324"/\$9.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2006/03/28 11:34
L21	9047	20 and ("73"/\$9.ccls.)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2006/03/28 11:34
L22	1723	21 and (matrix array plural\$4 couple multipl\$4 pair) near3 (sens\$4 detect\$4 transducer measur\$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2006/03/28 11:34
L23	142	22 and (two three multi) near3 (dimensional)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2006/03/28 11:35
L24	31	23 and (capacit\$5).clm.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2006/03/28 11:41
L25	18	24 and (ground\$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2006/03/28 11:44
L26	2	25 and (core)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2006/03/28 11:44